



Union Public Service Commission

General Studies

Paper I – Volume 5

World Geography



UPSC CSE – IAS

PAPER – 1 VOLUME – 5

GEOGRAPHY OF WORLD

S.No.	Chapter Name	Page No.			
1.	 Universe and the Solar System Origin of the Universe Big Bang Theory Pulsating Theory Components of the Universe Galaxy Stars Nova Black Dwarf Brown Dwarf Neutron Stars Black Holes Solar System Sun Planets Asteroids 				
2.	 Comets Meteoroid, Meteor and Meteorite Moon Eclipse Earth Geographical Coordinates: Latitudes and Longitudes Latitudes Longitude Prime Meridian International Date Line 	10			
3.	 Motions of Earth Earth's Rotation Earth's Revolution Geological Time Scale Precambrian Supereon Hadean Eon Archean Eon 	14			
4.	 Proterozoic Eon Phanerozoic Eon Earth's Magnetic Field Dynamo Theory of Generation of Earth's Magnetic Field Magnetosphere 	17			

	Geomagnetic Poles					
	Geomagnetic Reversal					
	Magnetic Inclination/Dip					
5.	Internal Structure of Earth	20				
	Source of Study Interior of Earth					
	 Indirect Sources 					
	 Direct Sources 					
	Divison of Earth's Layers					
	 Chemical Layers 					
	 Mechanical/Physical Layers 					
6.	Minerals and Rocks	23				
	Minerals					
	 Physical Characteristics of Minerals 					
	 Types of Minerals 					
	 Major Minerals and their Characteristics 					
	• Rocks					
	 Igneous Rocks 					
	 Sedimentary Rocks 					
	 Metamorphic Rocks 					
	 Rock Cycle 					
7.	Geomorphological Theories	27				
	Continental Drift Theory					
	Sea Floor Spreading Theory					
	Convection Current Theory					
	Plate Tectonic Theory					
	 Tectonic Margins and Boundaries 					
8.	Geomorphic Processes	34				
	Exogenic Processes					
	 Weathering 					
	 Mass Wasting 					
	o Erosion					
	Endogenic Processes					
	o Diastrophism					
	 Sudden Movement 					
	Volcanism					
	 Causes of Volcanism 					
	 Types of Volcanoes 					
	 Volcanic Materials 					
	 World Distribution of Volcanoes 					
	 Impact of Volcanism 					
	 Hot Springs and Geysers 					
	Earthquakes					
	 Measuring Earthquakes 					
	 Seismic Waves 					
	 Propagation of Earthquake Waves 					
	 Causes of earthquakes 					
	 Classification of Earthquakes 					
	 Global Distribution of Earthquakes 					

• Effect of Earthquake

9. Major Landforms

- Mountains
 - o Classification of Mountains
 - o Major Mountains of the World
- Plateaus
 - Classification of Plateaus
 - Major Plateaus of the World
- Plains
 - Classification of Plains
 - \circ Major Plains of the World

10. Minor Landforms

- Desert Landforms
 - o Erosional Arid Landforms
 - o Depositional Arid Landforms
- Marine Landforms
 - Erosional Landforms
 - Depositional Landforms
- Riverine/Fluvial Landforms
 - o Erosional Landforms
 - Depositional Landforms
- Karst/Groundwater Landforms
 - $\circ \quad \text{Erosional Landforms}$
 - o Depositional Landforms
- Glacial Landforms
 - Erosional Landforms
 - Depositional Landforms
- Volcanic Landforms
 - Extrusive Volcanic Topography
 - o Intrusive Volcanic Topography

11. Climatology

- Atmosphere
 - o Evolution of Atmosphere
 - o Composition of Atmosphere
- Structure of Atmosphere
 - Chemical Classification
 - o Thermal Classification
- Thermal Radiation
- Insolation
 - Variability of Insolation
- Heating and Cooling of Atmosphere
- Terrestrial Radiation
 - Heat Budget
- Temperature
 - o Distribution of Temperature
- Temperature Inversion
 - o Types of Temperature Inversion
 - o Effect of Temperature Inversion

83

52

62

- Atmospheric Pressure
 - o Distribution of Air Pressure
- Pressure Belts
 - o Meridional Circulation of Atmosphere
 - Seasonal Shifting of Pressure Belts
- Winds
 - Permanent/Planetary Winds
 - Periodic Winds
 - Local Winds
- Jet streams
 - o Polar Jet Stream
 - o Subtropical Jet Stream
 - o Tropical Easterly Jet Stream
 - o Somali South-Westerly Jet Stream
- Water in Atmosphere
 - Water Cycle
- Clouds
 - Types of Clouds
 - o Classification by WMO
- Precipitation
- Rainfall
 - o Types of Rainfall
 - World Distribution of Rainfall
- Air Masses
- Fronts
 - o Types of Fronts and Associated Weather
 - Frontal Zones
- Cyclones
 - Tropical Cyclones
 - Temperate Cyclones

12. World Climatic Zones

- Koppen's Scheme of Climatic CLassification
 - Group A: Tropical Humid Climate
 - Group B: Dry Climates
 - o Group C: Warm Temperate (Mid-Latitud) Climates
 - Group D: Cold Snow Forest Climate
 - Group E: Polar Climates
 - Group H: Highland Climates

13. Oceans

- Relief of the Ocean FLoor
 - Major Relief Features
 - Minor Relief Features
- Temperature of Ocean
 - Factors affecting Temperature Distribution
 - Horizontal Distribution of Temperature
 - Vertical Distribution of Temperature
- Salinity of Ocean Waters

121

127

- Composition Factors affecting Ocean Salinity o Horizontal Distribution of Salinity Salinity Variations in various Oceans and Seas 0 Vertical Distribution of Salinity 14. **Movements of Ocean Water** 136 Waves • Formation of Waves 0 • Characteristics of Waves **Ocean Currents** • Forces influencing Ocean Currents o Characteristics of Ocean Currents Types of Ocean Currents o Major Ocean Currents Impact of ocean currents Tides • Causes of Tides Mechanism of Tide Formation Characteristics of Tides 0 o Tidal Bore • Types of Tides Magnitude of Tides Importance of Tides **Coral Reefs** 15. 145 **Favourable Conditions for Coral Reefs** • **Types of Coral Reefs** • Fringing Reefs o Barrier Reefs o Atolls o Other Reef Types **Global Distribution of Coral Reefs** Coral Bleaching Causes of Coral Bleaching • Types of Coral Bleaching Global Efforts to Conserve Coral reefs 16. Soil 150 Soil Profile • Stages of Soil Formation • **Process Involved in Soil Formation** Weathering o Translocation • Humification o Podzolization o Gleying o Lateralisation **Factors influencing Soil Formation Classification of Soils** Zonal Soils 0
 - Intrazonal Soils

		 Azonal Soils 				
	Minerals of the Soil					
	Soil Erosion					
		 Erosion by Water 				
		 Erosion by Wind 				
		 Erosion by Human Activity 				
		 Prevention of Soil Erosion 				
17.	Maj	or Biotic Regions of the World	160			
	Biomes					
		 Forest Biome 				
		 Grassland Biome 				
		• Desert Biome				
		o Tundra Biome				
		 Taiga or Boreal Biome 				
18.	Hun	nan Geography	163			
_0.	•	Evolution of Man				
	•	Baces				
	•					
		 Indigenous Reople of Asia 				
		 Indigenous People of Australia and New Zealand 				
		 Indigenous People of Eurasia Indigenous People of North America 				
		 Indigenous People of South America Indigenous People of South America 				
	•	Human Development				
		Dimensions of Human Development				
		o Human Development Report				
	•	Population				
		 Gloabl Population Distribution 				
		• Factors Influencing Population Distribution				
		• Population Density				
		• Population Growth				
	•	Demographic Transition Theory				
		 Demographic Dividend 				
		 Stages of Demographic Dividend Demographic Dividend Opportunity for India 				
		• Challenges for India				
		 Measures to be taken by India 				
	•	Human Sattlements				
		• Types of Human Settlements				
19.	Eco	nomic Geography	178			
	•	Agriculture				
		 Primitive Subsistence Farming 				
		 Commercial Agriculture 				
		 Dryland Farming 				
		• Wet Farming				
		 Shifting Agriculture 				
		 Plantation Agriculture 				
		 Intensive Agriculture 				
		 Mixed Cropping 				
		 Vertical Farming 				

- Modern Farming Methods
- Crops
 - o Cereal Crops
 - o Fiber Crops
 - o Oil Crops
 - Cash Crops
 - o Beverage Crops
 - o Global Distribution of Major Crops
- Livestock
 - Contribution of Livestock to Farmers' Economy
- Dairy Farming
 - o Global Production fo Dairy Products
- Floriculture
 - Classification of Ornamental Plants
 - o Global Production
- Marine Resources
 - o Biotic Resources
 - o Abiotic Resources
- Mineral Resources
 - o Iron Ore
 - o Manganese
 - o Copper
 - o Aluminium
 - o Gold
 - o Silver
 - o Tin
 - o Lead
 - o Zinc
 - o Diamond
 - o Nickel
 - o Tungsten
 - o Antimony
 - o Mica
- Energy Resources
 - o Conventional Resources
 - Non-Conventional Resources
 - o Energy Crisis

20. Industry

- Classification of Industries
- Factors Affecting Location of Industries
- World Industrial Regions
- World Industrial Problems

21. Transportation

- Land Transportation
 - Road Transport
 - o Rail Transport
- Water Transportation
 - Inland Waterways
 - o Ocean Transport
 - $\circ \quad \text{Advantages of Water Transport}$
- Air Transport

211

214

Dear Aspirant, Thank you for making the right decision by choosing ToppersNotes. To use the QR codes in the book, Please follow the below steps :-



Click on Scan QR

Choose the **QR from book**

1Universe and the SolarCHAPTERSystem



Origin of the Universe

• Universe: Everything that exists, including distant stars, planets, and satellites, as well as our own planet and all of its people.

Theories about origin of Universe:

1. Big Bang theory



- The **most popular argument** regarding the origin of the universe .
- aka expanding universe hypothesis.
- Edwin Hubble in 1920 proved that the universe is expanding.
- Took place 13.7 billion years before the present.
- Galaxies move further and further apart with time and thereby, the universe is considered to be expanding.
- Scientists believe that though the space between the galaxies is increasing, observations do not support the expansion of galaxies.
- Stages in the development of the universe:
 - Beginning- All matter forming the universe existed in one place as a "tiny ball" (singular atom) with an unimaginably small volume, infinite temperature and infinite density.
 - **Big Bang- "Tiny ball" explodes violently** which led to a huge expansion.
 - The expansion continues even to the present day.
 - As it grew, some energy was converted into matter.

- Rapid expansion within fractions of a second after the bang- later, it slowed down.
- Within the first 3 minutes from the Big Bang event, the first atom began to form.
- Within 300,000 years from the Big Bang, temperature dropped to 4,500K and gave rise to atomic matter.
- The universe became transparent.
- Common misconception:
 - Gives the complete origin of the universe but it does not describe the energy, time and space involved in the creation of the universe.
 - **Only explains how the universe emerged** from its initial high-temperature state.
 - Only describes the size of the observable universe and not the universe as a whole
- Evidences of Big Bang
 - Expanding galaxies:
 - Hubble in 1929 noted that galaxies outside our own Milky Way were all moving away from us, at a speed proportional to its distance from us.



- Realized that there must have been an instant in time (now known to be about 14 billion years ago) when the entire Universe was contained in a single point in space.
- The Universe must have been born in this single violent event which came to be k/a "Big Bang."
- Cosmic Background radiation:
 - Early photons ,the afterglow of the Big Bang k/a cosmic background radiation (CBR) can be observed even today.

2. Pulsating theory

- Universe is believed to be pulsing, expanding and shrinking alternately,
- According to this theory, the universe's expansion may be halted by gravitational attraction at some point in the future, causing it to compress again.
- After it has been constricted to a particular size, it will explode again, and the universe will begin to expand.
- The pulsating universe is created by the universe's parallel expansion and contraction.

Components of the Universe

Galaxy

• Collection of millions or billions of stars, gas and dust, bound together by gravity.



• Mainly divided into four types viz. elliptical, normal spirals, barred spirals and irregular.

Milky Way Galaxy

- Shape- spiral.
- Has a disk-shaped structure diameter of roughly 100000 light years.
- Around its centre, the Milky Way galaxy rotates gently in a counter-clockwise manner.
- Centre- All stars (including the sun and the solar system) rotate.
- Appears like a river of light flowing from one corner to the other in the night sky, therefore k/a Akash Ganga.

Stars

- Incredibly hot celestial beings that generate their own light.
- Massive clouds of hydrogen gas, helium, and dust.
 - 3 types as per their colour and temperature:
 - Red: low surface temperatures
 - White: high surface temperatures
 - Blue: very high surface temperatures
- In the night sky, all stars (save the pole star) appear to travel from east to west- caused by the earth's rotation on its axis.
- The monthly locations of the stars fluctuate- due to interaction between the rotation of the earth around its axis and the orbit of the earth around the sun.
- # Birth and Evolution of a Star
- Raw material for star formation- Hydrogen.
- Beginning of a star's life cycle- formation of thick clouds of hydrogen and helium gas (i.e. Nebula) in galaxies.
- **Birth** caused by the **gravitational collapse** of these too thick **clouds of gases** in the galaxy.





ProtoStar

- Resembles a star, but core not heated enough for nuclear fusion to occur- occurs only when the initial temperatures are very high - hard to achieve and control.
- **Difficult to view** frequently **covered by dust,** which filters the light they emit.

<u>T Tauri Star</u>

- Young (< 10 million years old) , light star experiencing gravitational contraction .
- Intermediate stage between a Protostar and a lowmass main sequence star.

Main sequence stars of fusion ignition

- Hydrogen + helium.
- Make up the vast majority of stars in the universe (about 90%).
- A star like the Sun swells up to become a red giant at the end of its life, before shedding its outer layers as a planetary nebula and finally decreasing to become a white dwarf.

Final Stages of a Stars Life

- Enters red-giant phase- becomes a red-giant star.
- Can then die out by becoming a white dwarf star or exploding as a supernova star → development of neutron stars and black holes, depending on its mass.
- White dwarf tiny hot star that is at the end of its life cycle leftovers of regular stars that have exhausted their nuclear energy reserves.

NOVA

- Occurs on the surface of a white dwarf.
- If two stars in the system are close enough together, material (hydrogen) from the partner star's surface can be transferred onto the white dwarf.
- When enough material accumulates on the surface of a white dwarf, nuclear fusion occurs, resulting in a dramatic brightening of the star.

<u>Supernova</u>

- Star's rapid death causes it to brighten to the brightness of 100 million suns for a brief period of time.
- The very bright burst of radiation disperses most or all of a star's material at a high velocity, causing a shock wave to propagate into the interstellar medium.
- These shock waves cause condensation in a nebula, opening the way for the formation of a new star.
- Responsible for a large amount of primary cosmic rays.

Black Dwarf

- Last stage of star development.
- It is a white dwarf that has cooled to the point that no substantial heat or light is emitted.
- No black dwarfs are projected to exist in the universe yet since the time necessary for a white dwarf to achieve this condition is calculated to be greater than the universe's current age.

Brown Dwarfs

- Objects that are too big to be planets but not big enough to be stars.
- Considered to develop from a collapsing cloud of gas and dust in the same manner as stars do.
- The centre of the cloud, however, is not thick enough to start nuclear fusion when the cloud falls.

Neutron Stars

- Stars that **emit neutrons**.
- Mostly made up of neutrons.
- Formed during supernova pushing protons and electrons to combine to form a neutron star.
- High density stars (A sphere with a diameter of merely 20 kilometres can hold three times the mass of the Sun).
- If it has a larger mass, and intensely high gravity shrinking it even further, eventually becoming a black hole.

Black Holes

- At the end of their lives, **big stars are believed to create black holes.**
- Gravitational pull is so strong that nothing, not even light, can escape it.
- A black hole's matter density can't be measured (it's infinite!).
- Warp space around them and can pull nearby objects, including stars, into them.

Dark matter

- A kind of matter hypothesised in astronomy and cosmology to account for a significant amount of the **universe's mass that appears to be absent.**
- Invisible to telescopes- does not emit or absorb significant amounts of light or other electromagnetic energy.
- A black hole is not the same as dark matter.
- Unknown elements of dark matter.
- Might be a swarm of black holes, a dwarf, or a whole new particle.

Toppersuoles Unleash the topper in you

Solar System



- Age: 4.6 billion years old
- **Distance:** 27,000 light years from the Milky Way's centre.
- Components sun, eight planets and their satellites + asteroids, comets, and meteors.
- Sun- centre of the solar system.
- The sun's gravitational influence maintains the whole solar system rotating around it → sun's gravitational pull determines velocity of all solar system components.
- ~ 99.9% of the matter in the solar system from the sun.

Sun

- Age: 4.6 billion years.
- Diameter: 1.39 million km.

- Temperature:
 - Surface- 6000 °C on surface
 - Core: 16 million °C
- **Density**: 1.41 times that of water.
- Rotation time: 25 days and 9 hours.
- Rotational speed: 7179.73 km/h. (rotates counterclockwise)
 - The **earth's rotational velocity** is 1675 kilometres per hour.
- Mass: 3,32,900 times of Earth masses.
- Distance: 150 million kilometres away from Earth
- Time taken by light to reach earth: 8 minutes and 20 seconds.

Time taken by light to reach Earth from the closest star, proxima centauri : 4.3 light years.





Internal Structure and Atmosphere of the Sun

- Solar interior core, radiative zone and the convective zone.
- Solar atmosphere photosphere, chromosphere, and the corona (solar wind is an outflow of gas from the corona).
- Photosphere
 - Bright outer layer of the Sun emits most radiation.
 - Extremely **uneven surface**.
 - Effective temperature on the outer side of the photosphere- 6000°C.
- Chromosphere
 - Just above the photosphere is the chromosphere.
 - Relatively thin layer of burning gases.
 - The chromosphere is a bit cooler 4,320° C.
- Corona
 - Atmosphere of plasma that surrounds the Sun and other celestial bodies.
 - Stretches millions of kilometres into space and may be viewed best during a total solar eclipse.

Plasma

- **Ionised gas** (atoms and molecules are converted into ions typically by removing one or more electrons from the outer shell)
- Eg. Lightning and electric sparks -made from plasma.
- Neon lights 'plasma lights'- light comes from the plasma inside of them.

• Sunspot

- Dark patch on the surface of the Sun.
- Appear as dark areas as about 500-1500°C cooler than the surrounding chromosphere.
- **Has a lifetime** ranging from a few days to a few months.
- Each spot has a black centre or umbra, and a lighter region or penumbra, surrounding it.
- Sun 1% cooler when it has no sunspot and that this variation in solar radiation might affect the climates of the Earth.

• Solar prominence

- An arc of gas that erupts from the surface of the Sun.
- Can loop hundreds of thousands of miles into space.
- Held above the Sun's surface by strong magnetic fields and can last for many months.
- Later they erupt, spewing enormous amounts of solar material into space.
- Solar Wind
 - Stream of energised, charged particles, primarily electrons and protons, flowing outward from the Sun.

- Speeds upto 900 km/s and at a temperature of 1 million degrees (Celsius).
- Made of plasma (ionised atoms).
- Solar Flares:
 - Magnetic anomalies cause solar flares to form on the sun's surface.
 - Magnetic storms that seem like brilliant spots with a gaseous explosion on the surface.

Impact of Solar winds:

1. Aurora

- A natural light show in the sky commonly observed in high latitudes (Arctic and Antarctic). (This is due to the earth's magnetic field lines and the solar wind.)
- Caused by Charged particles (electrons and protons), entering the atmosphere from above, creating ionisation and excitation of atmospheric elements, as well as visual emissions.

2. Some planets have atmospheres, while others don't.

- Solar wind particles have a well-developed magnetic field reach the planet deflected.
- Magnetosphere -
 - Region around a planet dominated by the planet's magnetic field- Earth has the strongest magnetosphere of all the rocky planets.
 - Overall shape is determined by the solar wind.
 - Planets with a weak / non-existent magnetosphere - prone to solar wind atmospheric stripping.
 - Side facing the Sun- magnetosphere is generally shaped like a hemisphere,
 - **Opposite side-** extends in a lengthy trail.
- Magnetopause -
 - Abrupt boundary between a magnetosphere and the surrounding plasma.
 - Boundary between the planet's magnetic field and the solar wind.

Planets

- A celestial body that orbits a star in an elliptical path.
- 2 groups:
 - Terrestrial Planets-
 - Inner planets (as they lie between the sun and the belt of asteroids)
 - Have smaller and denser bodies
 - Composition- silicates and metals.
 - Dense, rocky compositions, few or no moons, and no ring systems.



- Mercury (Buddh):
 - Smallest and closest to the sun.
 - Distance from Sun: 57.91 million km
 - **Orbital period:** 87.97 Earth days,(Shortest)
 - Length of day: 58d 15h 30m
- Venus (shukr):
 - Brightest planet in the solar system (morning/ evening star)
 - Rotates in anticlockwise direction
 - The **hottest** planet in the Solar System- high concentration of CO_2 and thick atmosphere.
 - Distance from Sun: 108.2 million km
 - o Orbital period: 225 days
 - Length of day: 116d 18h 0m
- Earth (Prithvi):
 - Only known planet to sustain life.
 - o Distance from Sun: 149.6 million km
 - Age: 4.543 billion years
 - Orbital period: 365 days
 - Natural Satellite: MOON
- Mars (Mangal):
 - **Red Planet:** Presence of **iron oxide on surface**
 - Length of day: 1d 0h 37m
 - Distance from Sun: 227.9 million km
 - Orbital period: 687 days
 - Natural satellites: Phobos, Deimos
 - Jovian planets / Gas Giants -
 - planets of outer circle
 - Have a greater size and less dense materials.
 - They usually have a thick atmosphere, consisting of helium and hydrogen.
- Jupiter(Brhaspati):

о

- Largest planet of the solar system
- Length of day: 0d 9h 56m
- o Distance from Sun: 778.5 million km
- Age: 4.603 billion years
- **Orbital period:** 12 years
- Natural satellites: Io, Europa, Ganymede, and Callisto(called the Galilean satellites because Galileo discovered them.)
 - Saturn(shani)
 - Saturn's rings are probably made up of billions of particles of ice and icecovered rocks.
 - Length of day: 0d 10h 42m
 - Distance from Sun: 1.434 billion km
 - Orbital period: 29 years
 - Moons: Titan, Enceladus, Mimas, Tethys, etc.
 - Titan second-largest moon in the Solar System (larger than Mercury)

- Only satellite in the Solar System with a substantial atmosphere (nitrogen-rich).
- Uranus(arun)
 - Rotates in clockwise direction i;e opposite of the sun's rotation.
 - Length of day: 0d 17h 14m
 - Distance from Sun: 2.871 billion km
 - Orbital period: 84 Years
 - Natural satellites:Miranda, Ariel, Umbriel, Titania, and Oberon.
- Neptune(Varun)
 - Farthest known planet
 - Iranus and Neptune Twin planets.
 - Strongest sustained winds (2,100 km/h) of any planet in the Solar System found here.
 - Length of day: 0d 16h 6m
 - Distance from Sun: 4.495 billion km
 - Orbital period: 165 years
 - Natural satellites: Triton, Hippocamp,
 Proteus, Nereid, etc.

Asteroids

- **Rocky remains** left over from the formation of the solar system.
- These remains failed to consolidate due to Jupiter's gravitational influence.
- Composition refractory stony and metallic materials, with some ice.
- Size- microscopic to hundreds of kilometres.
- Ceres largest asteroid (946 km in diameter), a protoplanet, and a dwarf planet.
- All other asteroids are considered as tiny Solar System bodies.

Kuiper Belt:

- A circumstellar disc in the outer Solar System.
- Spans 30 AU from Neptune's orbit to around 50 AU from the Sun.
- Pluto (39 AU)- largest known object in the Kuiper belt.

Oort cloud

A giant shell of icy bodies that encircle the solar system occupying space at a distance between 5,000 and 100,000 AU.

Comets

- An icy small solar system body- heats up (when passing close to the Sun) due to solar radiation and the solar wind begins to outgas (release gases) atmosphere and sometimes a tail visible.
- Have highly elliptical orbits.



- Composition- Stony and metallic minerals held together by frozen gases (water, ammonia, methane, and carbon dioxide).
- Types:

Meteoroid, Meteor and Meteorite

- Short-period comets orbital period 100 yearsgenerally originate in the Kuiper belt.
- Long period comets orbital period thousands of years, come from the more distant Oort Cloud.



- Meteoroid: Any solid debris originating from asteroids, comets, or other astronomical objects that drifts across interplanetary space.
- Meteor: A flash of light that emerges in the sky when a meteoroid hits the atmosphere (mesosphere) at a high speed and burns up due to friction. Sometimes known as a 'shooting star' or a 'falling star.'
- Meteorite: When a meteoroid does not burn entirely and lands on the surface of the Earth.

Meteorite crater:

- A circular depression generated on the earth's surface as a result of a meteorite impact.
- Most visible meteorite craters Moon and Mercury's surfaces (because they are geologically inactive due to a negligible atmosphere).
- World's Largest Meteor Crater: 1,300 metres deep Arizona(US).
- Chicxulub crater (Mexico's Yucatan Peninsula) caused by a meteor impact that is believed to have wiped out the dinosaurs (mass extinction at the end of the Cretaceous 65 million years ago).
- Meteorite craters in India
 - **Lonar Lake (1.8 km in diameter)** in Buldhana District of Maharashtra.
 - Dhala crater (14 km in diameter) in Shivpuri district, Madhya Pradesh.

 Ramgarh crater (3.5 km in diameter) is a potential meteorite crater in Kota plateau in Rajasthan.

Meteor Showers

- Occurs when Earth encounters many meteoroids at once.
- Comets also orbit the sun.
- As a comet gets closer to the sun, some of its icy surface boils off, releasing lots of particles of dust and rock (meteoroids).
- This comet debris gets scattered along the comet's path, especially in the inner solar system (including planets Mercury, Venus, Earth and Mars).
- When Earth makes its journey around the sun, its orbit crosses the orbit of a comet i.e. Earth encounters a bunch of comet debris.
- These meteoroids when enter the earth's atmosphere burn up and cause continued lighting of sky for some time k/a meteor shower.
- Named for the constellation where the meteors appear to be coming from.
- Eg. Orionids Meteor Shower appears to be originating near the constellation 'Orion the Hunter'.



Moon

- Diameter one-quarter of earth.
- Distance from earth- 3,84,400 km.



- Tidally locked to the earth, meaning that the moon revolves around the earth in about 27 days which is the same time it takes to complete one spin.
- Hence, only one side of the moon is visible from earth.
- Without moon, Earth's tilt could vary as much as 85 degrees (at present the Earth's axis of rotation is tilted at an angle of 23.5 relative to our orbital plane).

Tidal locking - Object's orbital period = rotational period.

Formation of Moon:

- Formation is an outcome of 'giant impact' aka 'the big splat'.
- A body of the size 2-3x of mars collided into the earth shortly after the earth was formed- blasted a large part of the earth into space.
- Part of blasted material continued to orbit the earth formed into present moon about 4.44 billion years ago.
- Moon used to revolve much closer to Earth than today.
- Earth rotates -> Moon's gravity causes tides.
- Little friction between the tides and the turning Earth- earth's rotation slows down just a little (1.4 milliseconds in 100 years).
- As Earth slows- **Moon drifts away a little** (four centimetres per year).

Types of Moon:

- 1. Blood Moon/ Copper Moon
 - Total lunar eclipses aka blood moons because of the reddish orange glow the moon takes on.
 - Total lunar eclipse Earth moves between the Sun and the Moon - cuts off the Moon's light supply.
 - Surface of the Moon takes on a reddish glow instead of going completely dark.
 - Reddish color during totality due to Rayleigh scattering.

Rayleigh scattering

Same mechanism **responsible for** causing **colorful sunrises and sunsets**, and for the **sky to look blue**.

- 2. Blue Moon
 - Appearance: two and a half years on average.

• Blue moon **does not mean blue coloured moon.** It is just **second full moon of any calendar month.**

3. Super moon

- Full moon occurs at its perigee.
- o Rare event.
- Has to satisfy **two conditions**
 - Moon must be closest to the earth
 - Should be a full moon.
- Moon- **30 % brighter** and **14 % larger**.
- Difference cannot be seen with naked eye.

Dawn and Twilight

- Dawn: The period between sunrise and full daylight.
- Twilight: The period between sunset and complete darkness.
- Occurrence- Earth receives scattered or refracted light from the sun when it is still below the horizon during dawn and twilight.
- Poles- winter darkness is much longer- mostly merely twilight.

Eclipse

- Occurrence: When the Sun, the Earth, and the Moon are in a straight line.
- Types :
- 1. Lunar Eclipse
- Ideal Position: Only when the Sun, the Earth, and the Moon are in a straight line, and the Earth is between the Sun and the Moon,
- Possible only on a Full Moon day. However, since these three bodies must be in the same plane as the ecliptic, a lunar eclipse does not occur on every Full Moon day.
 - Total lunar eclipse: Moon exactly in the plane of the ecliptic.
 - Partial lunar eclipse: Moon close to the ecliptic plane.
 - No eclipse: Moon much above or far below the ecliptic plane.





2. Solar Eclipse

- Ideal Position: Only when the Sun, the Earth, and the Moon are all in a straight line, and the Moon is between the Sun and the Earth.
- Possible on a New Moon day -But does not occur on every New Moon day.
- Diamond Ring Effect: A visual phenomena can be seen from Earth when standing in the umbra of the moon's shadow.

Total Solar Eclipse: Moon is exactly in the plane of the ecliptic.

Partial solar eclipse: Moon is close to the ecliptic plane.

No Eclipse : Moon is **much above or far below** the ecliptic plane.

Annular Eclipse: Moon covers the sun but the sun can be seen around the edges of the moon.



Unleash the topper in you

2 CHAPTER Earth



Geographical Coordinates: Latitudes and Longitudes

- Latitudes and longitudes are **imaginary lines** used to **pinpoint** a **location** on the globe.
- Eg: The location of New Delhi is 28° N, 77° E.

• Shape of Earth- 'Geoid'



Fig : Latitudes and Longitudes

Latitudes

- Angular distance of a place on the earth's surface from the earth's centre.
- **Equator**:Another imaginary line running on the globe; divides it into two equal parts.
 - Northern Hemisphere: Upper half of the earth
 - o Southern Hemisphere: Lower Half of the Earth
- **Parallels of Latitude :** All parallel circles from the equator up to the poles.

80°

Equator

60'N

0° N

- Latitudes are **measured** in **degrees**.
- Equator- zero degree latitude.

Important Parallels of latitude:

- Arctic Circle: 66½° N in the Northern Hemisphere
- Tropic of Cancer: 23½° N in northern hemisphere
- Tropic of Capricorn: 23½° S in southern Hemisphere
- Antarctic circle: 66½° S in Southern hemisphere



- # Latitudinal Heat zones of Earth/ Tropics
- Receive maximum heat.



- Bordered on north by the Tropic of Cancer and on south by the Tropic of Capricorn
- Define the northern and southern extremes of places where the sun passes directly overhead seasonally.



 On all latitudes between the Tropics of Cancer and Capricorn, the midday sun is exactly overhead at least once a year.

Longitude

- An **angular distance along the equator** measured in degrees east or west of the Prime (or First) Meridian.
- Represented by a sequence of semi-circles that go from pole to pole and pass across the equator- aka meridians.
- **Function**: to **calculate local time** in relation to G.M.T. or Greenwich Mean Time, often known as World Time.
- 1884 meridian passing through the Royal Astronomical Observatory at Greenwich, near London was chosen as Zero meridian or Prime meridian.



Important Meridians

- Prime Meridian:
 - O° longitude, count 180° eastward and 180° westward from it.
 - The Prime Meridian and 180° meridian divide the earth into two equal halves, the Eastern Hemisphere and the Western Hemisphere



Fig: Prime meridian

- International Date Line:
 - Represented by a **180° longitude**.
 - Time at this longitude is exactly 12 hours from the 0 degree longitude, irrespective of westward or eastward side from the Prime Meridian.

- Eastern side:Time increases (12 hours < time at 0° longitude.)
- Western side : Time decreases (12 hours > Prime Meridian)

In the **mid-Pacific**, the International **Date Line bends** from the regular 180° meridian at the Bering Strait, Fiji, Tonga, and other islands to **avoid day-and-date confusion** in some of the island groupings that are cut through by the meridian.





Longitudes and time:

- Earth rotates 360 degrees in a day or 24 hours → 15 degrees in 1 hour or 1 degree in 4 minutes.
- Earth rotates from west to east, local time advances by one hour every 15^o eastward.
- Moving westwards delays local time by one hour.
- Locations east of Greenwich see the sun sooner and gain time, whereas locations west of Greenwich see the sun later and lose time.

DST (Daylight Saving Time)

- Change in standard time that allows people to make better use of daylight.
- Clocks are usually set forward one hour towards the start of spring and backward one hour in the autumn.

Chaibagaan Time

- 150 years ago, British colonialists instituted "chaibagaan time" or "bagaan time," a one-hour ahead of IST time schedule followed by tea plantations.
- This was done in order to increase productivity by making better use of daytime.
- For the past 66 years, Assam, along with the rest of India, has followed the International Standard Time (IST).



Comparison of the Meridians of Longitude and the Parallels of Latitude

Parallels of Latitude	Meridians of Longitude				
Angular distance of a point north or south of the	Angular distance measured in degrees along the equator-				
equator, measured in degrees.	measured from 0° to 180° east or west of Greenwich (0°).				
Parallel to the equator.	Converge at poles.				
Appear as circles on a globe.	Appear as circles running through the poles.				
Distance between two latitudes- 111 Km.	Distance varies				
	Equator - 111.3 miles ; Poles- 0 km				
Equator at 0 degrees; Poles at 90 degrees.	Total 360 degrees of longitude (180 degrees east and west of the				
	Prime Meridian in each direction).				
Used to demarcate temperature zones.	Used to calculate the local time wrt Prime Meridian time.				

Motions of Earth

Earth's Rotation:

• On its axis (tilted at a 23.5° angle with the normal (90°), or a 66.5° angle with the orbital plane).



- 1 rotation- 24 hours.
- The orbital plane is the plane in which the Earth orbits the Sun.
- Rotation from west to east on its axis resulting in creation of day and night.



Fig. : Inclination of Earth's axis and the orbital plane



Fig : Day and Night on the Earth due to Rotation

Circle of illumination- circle on the globe that separates day from night.

- # Effects of Rotation of the Earth
- Causes days to turn into nights.
- Difference of one hour is created between two meridians.
- Change in the direction of wind and ocean currents.
- Regular Tides.

Earth's Revolution

- Revolves in an elliptical orbit as it circles around the sun.
- One complete round takes 3651/4 days or a year.

Leap year :

- Six hours saved every year are added to make one day (24 hours) over a span of four years.
- Added to the month of February.
- Thus every fourth year, **February is 29 days** instead of 28 days.
- Total days- 366.
- # Effects of Earth's Revolution:
- Seasons change due to the change in the position of the earth around the sun.





Solstice:

- 1. Summer Solstice:
 - Northern hemisphere is inclined towards the sun on June 21st.
 - Rays of the sun fall directly on the Tropic of Cancer excessive heat in the region.
 - Poles/ nearby locations receive less heat sun's beams are slanted.
 - Areas beyond the Arctic Circle six months of uninterrupted daylight - north pole is tilted toward the sun.
 - 21st June- longest day and shortest night- sun shines on the maximum part of the northern hemisphere; it is summer in the areas north of the equator.
 - Conditions reversed in southern hemisphere.
 There is a winter season in the area. The days are shorter than the nights.

- 2. Winter solstice:
 - Tropic of Capricorn receives direct sunlight on December 22nd south pole tilts towards the sun.
 - Sun's rays fall vertically near the Tropic of Capricorn (23½° s).
 - Southern hemisphere experiences summer, with longer days and shorter nights. In the northern hemisphere, the opposite is true.

Equinox:

- Equator receives direct sunlight on March 21st and September 23rd.
- Neither poles slant towards the sun in this position, the entire earth has equal days and nights.
- Northern hemisphere- autumn season on September 23rd
- Southern hemisphere spring season .
- March 21st- spring in the northern hemisphere and Autumn in the southern hemisphere.

3 Geological Time CHAPTER Scale



Geological Time Scale

- System of chronological measurement that describes the timing and relationships between events that have occurred throughout Earth's history.
- Developed by studying rock layers and fossils worldwide.
- Radioactive dating helped determine the absolute divisions in the time scale.



Divided into :
 SuperEon → Eon → Era → Period → Epoch

Table : Geological time scale

Fons	Era	Period	Epoch	Age/years Before	Life/
LOIIS				Present	Major Events
Phanerozoic		Quanternary	Holocene	0-10,000	Modern Man
			Pleistocene	10,000 – 2 million	Homo Sapiens
	Cainzoic (from	Teritary	Pliocene	2-5 million	Early Human Ancestor
	65 million		Miocene	5-24 million	Ape : Flowering Plants and
	years to the				Trees
	present		Oligocene	24-37 million	Anthropoid Ape
	times)		Ecocene	37-58 million	Rabbits and Hare
			Palaeocene	57-65 million	Small Mammals
					Rats - Mice
	Mesozoic 65-	Cretaceous		65 – 144 Million	Extinction of Dinosaurs
	245 million	Jurassic Triassic		144-208 Million	Age of Dinosaurs
	Mammals			208-245 Million	Frogs and Turties



	Palaezoic 245-570	Permian	245 – 286 Million	Reptile dominante replace
	243 370	Carboniferous	286 – 360 Million	First Reptiles
				Vertebrates : Coal beds
		Devonian	360 – 408 Million	Amphibians
		Silufian	408 – 438 Million	First trace of life on land
				Plants
		Ordovician	438 – 505 Million	First Fish
		Cambrian	505 – 570 Million	No terrestrial Life
				Mariane Invertebrate
Proterozoic	Pre-Cambrian		570–2500 Million	Soft-bodies arthropods
Archean	570 Million –		2500 – 3800 Million	Blue green Algae
	4800 Million			Unicellular bacteria
Hadean			3800-4800 Million	Ocean and Continents form –
				Ocean and Atmosphere are
				rich in carbon dioxide
Origin of Starts	5000 - 13700		5000 Million	Origin of the sun
Supernova	Million			
Big Bang			12000 Million	Origin of the universe
			13700 Millon	

Precambrian Supereon



Hadean Eon (4.5–4 bya) b

- represents the **time before a reliable (fossil) record of** life.
- Extremely hot temperatures
- Earth was molten frequent collisions with other bodies, extreme volcanism and the abundance of short-lived radioactive elements.
- Moon was formed by a giant impact collision with a planet-sized body named Theia ~ 4.5 bya.
- Large number of asteroids collided with the early terrestrial planets.
- Volcanic outgassing created primordial atmosphere and then the ocean.
- Almost no oxygen.
- Earth cooled- formation of a solid crust- hot volatiles heavy CO₂ atmosphere with hydrogen and water vapour.

Archean Eon (4.0 - 2.5 bya)

 Beginning of life on Earth - evidence of cyanobacteria (3500 mya).

- Life is limited to simple single-celled organisms lacking nuclei k/a Prokaryote.
- No oxygen; atmospheric pressure 10 to 100 atmospheres.
- Formation of continents.
- Oldest rock formations during the archean era.
- Numerous lava eruptions.
- Oceans were acidic due to dissolved carbon dioxide.
- Liquid water present.
- The earliest identifiable fossils- stromatolites- microbial mats formed in shallow water by cyanobacteria.

Proterozoic Eon (2.5 bya - 541 mya)

- Last eon of Precambrian "supereon".
- Appearance of oxygen in Earth's atmosphere .
- Bacteria began producing oxygen, leading to the sudden rise of life forms.
- **Eukaryotes** (having a nucleus), emerged, including some forms of **soft-bodied multicellular organisms.**
- Earliest forms of fungi developed.