

Jammu & Kashmir

Patwari

Jammu and Kashmir Service Selection Board (JKSSB)

Volume - 2

Science & Computer



Index

S.No.	Chapter	P.No.
1.	Chemistry	1
	States of Matter	
	• Solids	
	Liquids	
	• Gas	
	Cause of different physical states of matters	
	Other states of matter	
	Atomic Structure	
	Electron	
	Protons	
	Neutrons	
	 Properties of electrons, protons, and neutrons 	
	Distribution of Electrons in Distinct Shells	
	Valency	
	Atomic Number (Z)	
	Mass Number (A)	
	• Isotopes	
	• Isobars	
	Metals, Non-metals and Metalloids	
	 Metallurgical Principles and methods 	
	Steps in Metallurgical Process	
	Principles of Metallurgy	
	Important ores and alloys	
	Acids, Bases and Salts	
	Acids	
	• Bases	
	Strength of Acid and Bases	
	Universal Indicator	
	• Salts	
	Equations of Acids, Bases and Salts:	
	Concept of pH and Buffers	
	Buffers	
	 Important Drugs (Synthetic and Natural) 	
	Antacids	
	Antihistamines	
	Neurologically Active Drugs: Tranquilizers	
	Antioxidants and Preservatives	
	Insecticides	
	Pesticides	
	Fungicides	

[]	Herbicides			
	 Fertilizers 			
	Binders and Sweeteners			
	 Carbon and its compounds 			
	 Radioactivity - concepts and applications 			
2.	Physics	33		
۷.	Gravitation	55		
	Human eye and Defects			
	 Heat 			
	 Magnetism 			
	 Sound 			
	Electro-Magnetic Waves			
	 Nuclear fission and Fusion 			
3.	Biology	47		
	Excretory System			
	 Respiratory System 			
	Circulatory System			
	 Digestive systems in Human beings 			
	 Blood groups 			
	 Composition and Functions of blood 			
	Hormones			
	Genetics and Lifestyle Diseases			
	 Human diseases- Communicable and Non-communicable 			
	Endemic, Epidemic, Pandemic their Diagnosis and Control			
	Immunisation and Vaccination			
	Drugs and Alcohol abuse			
	Plant parts and their functions			
	Plant nutrition			
	Plant growth regulators			
	Sexual and asexual reproduction in plants			
4.	Introduction to Computer	93		
5.	Computer Working System, Input, Output and Storage	96		
6.	Computer System	101		
7.	Computer Organization	104		
8.	Computer Languages	107		
9.	Computer Software			
10.	Computer Software109Operating System110			
11.	Microsoft Windows, Its Different Versions and Its Basic Components	112		
12.	Word Processing Software (Microsoft Word)	114		
13.	Microsoft Power Point (M.S. Power Point)	116		
	Microsoft Power Point (M.S. Power Point) Microsoft Excel (M.S. Excel) (Spreadsheet Software)	116 118		
13.				

17.	Network Topology	130
18.	Website	132
19.	Database	135
20.	Information and Communication Technology	141
21.	Social Networking Sites	155
22.	Word Abbreviation	160




Physics

Gravitation

- Force that attracts a body towards centre of earth, or towards any other physical body having mass.
- Every object that has mass exerts a gravitational pull or force on every other mass.
- Strength of this pull depends on the masses of objects
- Gets weaker with distance.
- Keeps planets in orbit around sun and moon around the Earth
- First discovered in 1687 by Sir Isaac Newton.

Universal law of gravitation

- Every object in the universe attracts every other object with a force which is proportional to the product of their masses and inversely proportional to the square of the distance between them.
- The force is along the line joining the centres of two objects.



- d- distance between the center of the masses
- G -gravitational constant (6.674×10^-11 m3·kg-1·s-2)

Mass

- Quantity of matter contained in a body.
- A scalar quantity.
- Unit kilogram.
- A body contains the same quantity of matter whether it be on the earth, moon or even in outer space. Thus, mass is constant and does not change from place to place.
- Denoted by the small letter 'm'.
- Cannot be zero.

Weight

- Measure of force of gravity acting on a body.
- Formula : w = mg
- Unit- Newton (as it is a force).
- Vector quantity


Difference between Mass and Weight

Mass	Weight
• Quantity of matter possessed by a body	• Force with which a body is attracted towards the centre of the earth.
• Scalar quantity.	• Vector quantity.
• S.I. unit - kilogram (kg.)	• S.I. unit - Newton (N).
• Remains constant at all places	• Changes from place to place.
• Never zero.	• Becomes zero at the centre of the earth.
• Measured by a beam balance.	• Measured by a spring balance.

Human eye and Defects

- Human Eye is a natural optical instrument which is used to see the objects by human beings.
 - It is like a camera which has a lens and screen system.

Structure of the Human Eye



The various parts of eye and their functions

Human Eye Part	Functions
Pupil	Opens and closes in order to regulate and control the amount of light.
Iris	Controls light level similar to the aperture of a camera.
Sclera	Protects the outer coat.
Cornea	A thin membrane which provides 67% of the eye's focusing power.
Crystalline lens	Helps to focus light into the retina.
Conjunctive	Covers the outer surface (visible part) of the eye.
Aqueous humour	Provides power to the cornea.
Vitreous humour	Provides the eye with its form and shape.powe

Retina	Captures the light rays focussed by the lens and sends impulses to the brain via the optic nerve.
Optic nerve	Transmits electrical signals to the brain.
Ciliary muscles	Contracts and extends in order to change the lens shape for focusing.

Persistence of Vision:

- It is the time for which the sensation of an object continue in the eye.
- It is about 1/16th of a second.

Power of Accommodation:

• The ability of the eye lens to adjust its focal length accordingly as the distances is called power of accommodation.


Ciliary muscles

Relaxed	Contract
1. Eye lens become thin.	1. Eye lens become thick.
2. Increases the focal length.	2. Decreases the focal length.
3. Enable us to see distant object clea	rly. 3. Enable us to see nearby object clearly.
Near point of the Eye	Far point of the Eye
It is 25 cm for normal eye. The minimum distance at which object can be seen most distinctly without strain.	It is infinity for normal eye. It is the farthest point upto which the eye can see object clearly.


Defects of Vision and their Correction

Myopia (Short-sightedness):

- A kind of defect in the human eye due to which a person can see near objects clearly but he cannot see the distant objects clearly. Myopia is due to
 - excessive curvature of the cornea.
 - elongation of eyeball.




- Correction
 - Since a concave lens has an ability to diverge incoming rays, it is used to correct this defect of vision.
 - The image is allowed to format the retina by using a concave lens of suitable power as shown in the given figure.




Hypermetropia (Long-sightedness)

- It is a kind of defect in the human eye due to which, a person can see distant objects properly but cannot see the nearby objects clearly. It happens due to
 - o decrease in the power of eye lens i.e., increase in focal length of eye lens.
 - o shortening of eyeball.



- A hypermetropic eye has its least distance of distinct vision greater than 25 cm.
- Correction:
 - Since a convex lens has the ability to converge incoming rays, it can be used to correct this defect of vision.
 - The ray diagram for the corrective measure for a hypermetropic eye is shown in the given figure.



Heat

- When water is boiled in a kettle the steam built up in the kettle raises its lid up and when the steam escapes out the lid falls down.
- Heat thus can do work, so, it is a form of energy.
- This property of steam was used to build steam engines the devices which convert heat of steam into mechanical work.
- In fact work done against friction is always converted into heat.
- The equivalence of work and heat was noticed and experimentally established by J. P. Joule.
 - While boring the barrel of a gun with a blunt borer Joule found that so huge amount of heat was produced in the process that even water in which the process of boring was being carried out started boiling.
 - Through further experiments he found that one Calorie (Unit of heat prevalent at that time) of heat is equivalent to 4.2 Joule of work.

Temperature

- A quantity which tells us how hot a body is.
- If a hot body is kept in contact with a colder body for some time, we will find that the hotter body does not remain that hot and the colder body becomes some what hotter.
- Thus heat is transferred from a hotter body (a body at higher temperature) to a Colder body (i.e. a body at lower temperature).
- Hence temperature is the degree of hotness of a body which determines the direction of flow of heat.
- Heat always flows from a body at higher temperature to a body at lower temperature.

Effect of heat

- When a body is heated changes may occur in some of its properties .
- These changes are the effects of heat.

Some of the effects of heat:

- Rise in temperature
 - When a body is heated its temperature increases, that is why, it appears warmer when touched.
- Change of state
 - When heat is supplied to a substance in solid state its temperature rises till at a particular temperature it may change into its liquid state without any further change in its temperature.
 - This characteristic constant temperature at which a solid changes into its liquid state is called melting point of the solid.
 - The melting point of a substance is a characteristic, constant value and different substances may have different values of melting points.
 - Conversion of a solid into its liquid state at its melting point is called change of state from solid to liquid (fusion) and the heat that is transferred to the substance during melting is called Latent Heat of Fusion.
 - Because, it does not becomes apparent in the form of rise in temperature.
 - Latent heat of fusion of a solid substance is defined as the amount of heat (in joules) required to convert 1kg of the substance from solid to liquid state at its melting point.
 - Similarly, when heat is supplied to a substance in liquid state its temperature rises but there is a possibility that it changes into its vapour state at a constant temperature.
 - The heat supplied in this case is called Latent Heat of Vaporization.
 - Latent heat of vaporization of a liquid is defined as the amount of heat (in joules) required to convert 1kg of the substance from its liquid to gaseous state at a constant temperature.
 - Vaporization may take place in two different ways:
 - Evaporation from the surface of a liquid at any temperature
 - Boiling of the whole mass of the liquid at a constant temperature called boiling point of the liquid.

S. No.	Name of Material	Melting Point (°C)	Latent heat of fusion (× 10 ³ J/kg)	Boiling Point (°C)	Latent heat of vaporization (× 10 ³ J/kg)
1.	Helium	-271	723V	-268	25.1
2.	Hydrogen	-259	58.6	-252	er 1452
3.	Air	-212	23.0	-191	213
4.	Mercury	-39	11.7	357	272
5.	Pure Water	0	335	100	2260
6.	Aluminum	658	322	1800	-
7.	Gold	1063	67	2500	-

Static and Current Electricity

• A controllable and convenient form of energy used in homes, schools, hospitals, industries, etc for operating devices. We will write down the differences between the two on a number of factors in the form of a table.

Basis of difference	Static electricity	Electric current
Material	It can be developed on any type of material, either it be conductor or an insulator.	The current is produced only in conductors as it is due to movement of electrons.

Time period	Time period is short, as it exists for a very short period of time.	A comparative long time period.
Measuring device	It can be measured with a Gold leaf electroscope.	It can be measured with an Analog or a Digital meter.
Magnetic Field	Static electricity doesn't induce any magnetic field.	A magnetic field is induced every time an electric current is produced.
Example	Lightning in the sky etc.	It can be seen in electrical equipment like TV, bulb etc.

Electric charge:

- Fundamental unit of electricity (without charge, no electricity).
- **2 types:** Positive & Negative.
- SI Unit: Coulomb

Electric current:

- Rate of flow of electric charges.
- Caused by moving electrons through a conductor.
- Flows in the opposite direction to the movement of electrons.
 - I= Q
 - t
 - Where,
 - I= Electric current
 - **Q**= Electric charge
 - **t**= time
 - Unit ampere (A)
- Measured: Ammeter

Electric circuit

• Closed conducting path through which current flows.

Potential Difference:

- Work done to move a unit charge from one point to the other within an electric field..
 - v = w Q
- SI unit: volt (V)
- When the cell is connected to a conducting circuit element, the potential difference sets the charges in motion in the conductor and produces an electric current.


OHM'S LAW:

Potential difference between two points is directly proportional to electric current, at a constant temperature.
 V \approx I
 V = RI

• Here, R is the constant k/a resistance.

Resistance:

- Property of a conductor to resist flow of charges through it.
- **SI Unit:** Ohm (Ω).




Potential

Flow of positive charge

Flow of electrons

Conventional flow of

electric charge.



1 Ohm of resistance (R)

Equal to flow of 1A of current through a conductor between two points having a potential difference equal to 1V.

Factors on which Resistance of a Conductor depends:

1. Nature of Material:

- **Conductors** & insulators. •
- Silver best conductor of electricity. •
- 2. Length of Conductor:
 - Resistance increases with increase in length of the conductor.
- 3. Area of Cross Section:
 - Resistance decreases with an increase in area of conductor and vice versa. •

Resistivity:


- Resistance offered by a cube of a material of side 1m when current flows perpendicular to its opposite faces. •
- **SI unit** ohm-meter (Ωm).
- aka specific resistance.
- Depends on the nature of the material of the conductor.
- Varies with temperature.

Heating Effect of Electric Current:

- When electric current passes through a purely resistive conductor, energy of electric current is dissipated `entirely in • the form of heat and as a result, resistor gets heated.
- Eg. light bulb

Magnetism

Magnet:




An object that attracts objects made of iron, cobalt and nickel.

Use:

- in refrigerators. 0
- in radio and stereo speakers. 0
- in audio and video cassette players. 0
- 0 in children's toys and;
- on hard discs and floppies of computers. 0
- Properties:
 - A freely suspended magnet always points towards north and south direction. 0
 - Pole which points toward north direction -north pole. 0
 - Pole which points toward south direction south pole. 0
 - Like poles repel each other while unlike poles attract each other. 0

Magnetic field:

- Influence of force surrounding a magnet.
- Force exerted by a magnet in a magnetic field detected using a compass or any other magnet.
- Represented by magnetic field lines.
- A quantity that has both direction and magnitude.
- Properties:
 - o Inside magnet direction of field lines- south pole to north pole. Thus magnetic field lines are closed curves.
 - Relative strength of magnetic field is shown by degree of closeness of field lines. 0
 - No two field-lines cross each other. 0




Fleming's Right-Hand Thumb Rule:

• If a current carrying conductor is held by right hand, keeping thumb straight and if the direction of electric current is in direction of thumb, then direction of wrapping of other fingers will show the direction of magnetic field.

Electromagnetism


- A phenomenon in which a magnetic field is generated with the help of the current in the conductor.
- Made of two different aspects electricity and magnetism.
- Electricity and magnetism were considered as different and separate forces up until the 19 th century.
- After more research, they were regarded as interrelated phenomena due to Einstein's Special Theory of Relativity.
- With the help of this theory we can understand that even though both electricity and magnetism possess varying properties, they are still defined by one common phenomenon.
- Electric charges help produce electric forces at rest or while in motion. Meanwhile, magnetic forces can only be formed when there exists a motion of charged particles.

Electromagnet:



• If the left hand is stretched in a way that the index finger, middle finger and thumb are in mutually perpendicular directions, then index finger and middle finger of a stretched left hand show direction of magnetic field and direction of electric current respectively and the thumb shows the direction of motion or force acting on the conductor.

Alternate Current:






Figure 13.7 Right-hand thumb rule

- Current in which direction is changed periodically.
- Frequency of A.C in India is 50 Hz.
- Transmitted to a long distance without much loss of energy.

Direct Current:

- Current that flows in one direction only.
- Electrochemical cells produce direct current. Advantages of A.C over D.C
- Cost of generator of A.C << D.C.
- A.C easily converted to D.C.
- A.C controlled by use of choke less loss of power whereas, D.C controlled using resistances high energy loss.
- AC transmitted over long distances without much loss of energy.
- AC machines are stout and durable and do not need much maintenance. Disadvantages of AC
- Cannot be used for electrolysis or showing electromagnetism as it reverses its polarity.
- More dangerous than DC.

Sound

A form of energy which produces a sensation of hearing in our ears.

Production of Sound

- Sound is produced due to the vibration of objects.
- Vibration is a periodic back-and-forth motion of the particles of an elastic body or medium about a central position. It is also named as oscillation.
- Eg:
 - Stretched strings of a guitar vibrate to produce sound.
 - When membrane of a table is struck, it vibrates to produce sound.

Propagation of Sound

- The travelling of sound is called propagation of sound.
- Sound is propagated by the to and fro motion of particles of the medium.
- When an object vibrates, the particles around the medium vibrate.
- The particle in contact with the vibrating object is first displaced from its equilibrium position.
- Each particle disturbs the other particle in contact.
- Thus, the disturbance is carried from the source to the listener.
- Only the disturbance produced by the vibrating body travels through the medium but the particles do not move forward themselves.

Medium

- The matter or substance through which sound is transmitted is called a medium.
- A medium is necessary for the propagation of sound waves.
- The medium can be solid, liquid or gas.
- Sound cannot travel in vacuum.

Wave

- Wave is a phenomenon or disturbance in which energy is transferred from one point to another without any direct contact between them.
- For example: Heat, light and sound is considered as a wave.

Types of Waves

- Longitudinal waves: These are the waves in which the particles of the medium vibrate along the direction of propagation of the wave. For example: sound wave.
- **Transverse waves:** In this type of wave the particles of the medium vibrate in a direction perpendicular to the direction of propagation of the wave. For example: waves produced in a stretched string.
- Another type of waves which do not require any medium for propagation are called electromagnetic waves.
 - These waves can travel through vacuum also.
 - For example, light waves, X-rays.




Fig. Representation of particle disturbance moving forward

Compressions and Rarefactions:

• Compression is the- part of wave in which particles of the medium are closer to one another forming the region of high pressure and density.

Compression

Compression

Rare

Rarefaction

- Represented by the upper portion of the curve called **crest.**
- Rarefaction part of the wave where particles spread out to form a region of low pressure and density.
 - Rarefactions are represented by the lower portion of the curve called **trough.**

Characteristics of a sound wave

Amplitude

- The maximum displacement of each particle from its mean position is called amplitude.
- It is denoted by A.
- Its SI unit is metre (m).

Wavelength

- The distance between two nearest (adjacent) crests or troughs of a wave is called its wavelength.
- It is denoted by the Greek letter lamda (λ).
- Its SI unit is metre.

Frequency

- The number of vibrations per second is called frequency.
- The SI unit of frequency is hertz (Hz).
- The symbol of frequency is v (nu).

Time period

- The time taken to complete one vibration is called time period.
- It is denoted by T.
- Its SI unit is second (s).
- The frequency of a wave is the reciprocal of the time period. i.e., v = 1/T

Velocity

- The distance travelled by a wave in one second is called velocity of the wave or speed of the wave.
- Its S.I. unit is metres per second (m/s).
- Velocity = Distance travelled/Time taken

Pitch and loudness of Sound

- Pitch: It represents shrillness or flatness of sound.
 - It depends on the frequency of vibration.
 - Higher the frequency of sound wave, the higher will be the pitch of sound and vice-versa.
- Loudness: It is a measure of the sound energy reaching the ear per second.
 - It depends on the amplitude of the sound wave.
 - It is measured in decibel 'dB'.

Music And Noise

- Music: It is the sound that is pleasant to hear. For example: Sound coming out of musical instruments)
- **Noise:** It is the sound that is unpleasant to hear. For example: Sound produced by vehicles. Tone and Note
- **Tone:** A pure sound of single frequency is called tone.
- An impure sound produced by mixture of many frequencies is called a note.
 - For example: A musical note has tones of various frequencies.

Audible Frequency

• The audible range of human ear is 20 Hz and 20,000HZ, i.e., the human ears can hear only those waves whose frequency lies between 20 Hz and 20,000HZ.

Electro- Magnetic Waves

- A wave radiated by an accelerated or oscillatory charge in which varying magnetic field is the source of electric field and varying electric field is the source of magnetic field.
- Thus two fields becomes source of each other and the wave propagates in a direction perpendicular to both the fields.
- Transverse in nature, i.e. electric and magnetic fields are perpendicular to each other and to the direction of wave propagation.
- Electromagnetic waves are not deflected by electric and magnetic fields.

Basic Properties of Electromagnetic Waves

- Electromagnetic waves are transverse in nature.
- They propagate by varying electric fields and magnetic fields, such that these two fields are at right angles to each other and at a right angle with the direction of propagation of the wave.
- Electromagnetic waves travel with a constant velocity in vacuum. The speed of the waves is 3 x 108 m/s.
- Electromagnetic waves are non-mechanical waves. They do not require any material medium for propagation.
- They obey the equation c = fλ. Here, f is the frequency is Hertz and λ is the wavelength metres. The product of wavelength and frequency is equal to a constant c, the speed of light which is equal to 3 x 108 m/s. From this relation between wavelength, frequency and speed of light we can understand that the electromagnetic waves will travel with the speed of light regardless of wavelength and frequency.
- The oscillating electric field and magnetic field are in the same phase. The ratio of the amplitudes of the electric field and the magnetic field is equal to the velocity of the wave.

Wave	Wavelength	Uses
Gamma rays	10-14 to 10- 10m	It provides information about the structure of atomic nuclei It has medical applications too.
X-rays	10-11to 3 ×10- 8m	It reveals the structure of inner atomic electron shells and crystals. Helps in medical diagnosis. Assists in industrial radiography
UV rays	10-8 to 4 × 10- 7m	Helps in the detection of invisible writing, forged documents and fingerprints. It helps detect forged currency as real banknotes do not turn fluorescent under UV light. Helps in preserving foodstuffs and detecting adulteration Used in water sterilisation
Visible rays	4 ×10-7to 8 ×10- 7m	Reveals structure of molecules and arrangement of electrons in external shells of atoms. Allows you to see objects
Infrared rays	8×10-7 to 5 × 10-3m	In greenhouse effect, it is responsible for keeping plants warm It helps to look through haze, fog, and mist in wars. Helps cure crop diseases Treats muscular strains In astronomy

Seven types of electromagnetic waves


Microwaves	10-3 to 3 × 10- 1m	In radar Long-distance wireless communication via satellites In microwave ovens
Radio waves	10-1 to 10-4m	In radio and television communication systems Marine and navigation use

Propagation of Electromagnetic Waves

- The sequence of electromagnetic wave movement is as follows:
 O Generation → propagation → reflection → reception
- The EM waves can be propagated from the transmitter to the receiver in the following ways:
 - Ground waves: They can be propagated along the surface of the ground, and the process is called ground wave propagation.
 - Skywaves: When the EM waves are propagated via sky, it is called sky wave propagation. In this type of propagation, the waves get reflected back to the earth from the ionosphere.
 - Space waves: EM waves often propagate from the transmitter to the receiver antenna without any reflection or refraction; then, it is called space wave propagation.

Magnetic resonance imaging and Nuclear magnetic resonance

- Nuclear Magnetic Resonance is an analytical chemistry technique used in quality control & research.
- Nuclear Magnetic Resonance (NMR) can determine the content at the molecular level.
- NMR spectroscopy is the study of molecules
- by recording the interaction of radiofrequency (Rf) electromagnetic radiations
- with the nuclei of molecules
- placed in a strong magnetic field.
- Hence NMR can be used to determine the **purity of a sample** as well as its **molecular structure**.
- The NMR test is not required for honey that is being marketed locally but is needed for export.



Magnetic Resonance Imaging (MRI)

- MRI is a medical imaging application of nuclear magnetic resonance (NMR).
- MRI is used in radiology to form pictures of the anatomy and the physiological processes of the body.
- Radiology: a medical discipline that uses medical imaging to diagnose & treat diseases.